

本工厂机器产品和配件会不定期进行更新，机器颜色或有调整，机器的辅助装置将根据实际需要进行调整，恕不另行通知，请以实际产品为准，本资料为样机，实际购买前请详细查询。

The Machines and Accessories will be updated at any time. The colors and auxiliary parts will be adjusted according to the requests of the customers. Please contact us before purchase.



Tagging® Faster
钉标快用快钉

越南标签技术有限公司
Vietnam Tagging Technology Co., Ltd.

NV1-2, 32号地块, 黄梅区住宅区, 885 Tam Trinh巷, 黄梅坊, 河内市。
NV1-2, Lot 32, Hoang Mai District Housing Area, 885 Tam Trinh Alley, Hoang Mai Ward, Hanoi City.

Sales Dept:
Email: thinhvann11026789@gmail.com
Wechat/ Zalo: 0978.903.096
Website: <https://taggermachine.vn>

浙江标签机器人有限公司
Zhejiang Tagging Robots Co., Ltd
浙江省杭州市萧山区振宁路1号中科园区7栋1楼/2楼
F1/F2, Building 7, No.1, Zhenning Road, Xiaoshan, Hangzhou, Zhejiang, China. 311215

Sales Dept:
Abby@taggingmachine.com
Wechat/Whatsapp: +86 13575452015
Website: www.taggingmachine.com
网站: www.tagging.com
国内事业部: 胡扬锋 131 3737 5777 (微信同号)
江苏事业部: 徐炬亮 185 5698 8065 (微信同号)
电商事业部: 王海洋 157 3825 0755 (微信同号)



Tagging® Faster
钉标快用快钉



扫一扫加微信
索取机器工作视频



We manufacture the Clothes Tagging Machine, Socks Tagging Machine, Gloves Tagging Machine, Towels Tagging Machine, Toys Tagging Machine, Floor Mats Tagging Machine, Plastic Staple Machine, Pineapple Tagging Gun, Sofa Mattress Fixing Machine, Fish Tagging Machine and Parts for all the machines.

我们制造服装挂标机（服装厂用）袜子打标机（袜厂用），手套打标机（手套厂用），毛巾打标机（毛巾厂用），玩具捆扎机（玩具五金工具厂用），地垫打标机（地垫地毯厂用），梯形胶针机（牛仔水洗厂用），菠萝打标枪（菠萝农场用），沙发床垫固定器（家具厂用）鱼类打标机（渔业加工厂用）以及以上所有机器配件。

TM5209 5.2细针打标机
TM5209 Pneumatic Fine Tagging Machine



TM5209



TMH5209



TN5209

TM5209 is used for do tagging on socks, towels, caps, gloves(one pair/3 floors)



Socks



Towels



Caps



Gloves

TM5209 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	6.5Kgs (千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	5~30mm(30毫米以内)
适用钢针 (Fitness Needles)	TN5209
钢针类型 (Needle Style)	Fine/Thin(5.2细针)
适用胶针 (Fitness Tag Pin)	Nylon Fine 5-30mm(尼龙细胶针)

Attention:
TM5209 fit for fine garments, the fine needle and fine tag pin do not hurt the products on tagging.

备注:
此机器适用于薄的纺织品, 细针和细胶针对纺织品没有伤害。



Scan and watch the working video

TM5211 5.2粗针打标机
TM5211 Pneumatic Standard Tagging Machine



TM5211



TMH5211



TN5211

TM5211 is used for do tagging on socks, towels, mop pads, cotton gloves and other garments which use Standard Tagging Gun before.



Gloves



Mop pads



Socks



Towels

TM5211 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	6.5Kgs (千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	5~30mm(30毫米以内)
适用钢针 (Fitness Needles)	TN5211
钢针类型 (Needle Style)	Standard (5.2粗针)
适用胶针 (Fitness Tag Pin)	PP Standard 8-30mm (PP粗胶针)

Attention:
TM5211 fit for normal garments, it work with Standard Tagging Needles and standard D shape tag pins.

备注:
此机器适用于普通纺织品, 此类纺织品之前使用标准针吊牌枪和标准胶针。



Scan and watch the working video

TM6509 6.5细长针打标机

TM6509 Pneumatic Long Fine Tagging Machine



TM6509



TMH6509



TN6509

TM6509 used for do tagging on socks, towels, winter shoes and other thick textile products.



Thick socks



Thick towels



Car washing towels



Indoor shoes

TM6509 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	10Kgs (千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	5~50mm (50毫米以内)
适用钢针 (Fitness Needles)	TN6509
钢针类型 (Needle Style)	Fine/Thin (6.5细针)
适用胶针 (Fitness Tag Pin)	Nylon Fine 5~45mm(尼龙细胶针)

Attention:
TM6509 fit for hard and thick products., the fine needle and fine tag pin do not hurt the products on tagging.

备注:
此机器适用于较厚的纺织品，细针和细胶针对纺织品没有伤害。



Scan and watch the working video

TM8009 8.0细加针打标机

TM8009 Pneumatic Extra Long Fine Tagging Machine



TM8009




TMH8009



TN8009

TM8009 is used for fixing on thick socks and thick textile products.



10 Pair socks



Socks fixing

TM8009 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	14Kgs(千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	5~70mm(70毫米以内)
适用钢针 (Fitness Needles)	TN8009
钢针类型 (Needle Style)	Fine/Thin(8.0细针)
适用胶针 (Fitness Tag Pin)	Nylon Fine 5~70mm(尼龙细胶针)

Attention:
TM8009 fit for thick socks (Max 10pairs), the extra fine long needle and fine tag pin do not hurt the products on tagging.

备注:
此机器适用于固定10双以内的袜子，加长细针和细胶针对袜子没有伤害。



Scan and watch the working video

TG651X气动打标枪
TG651X Pneumatic Tagging Gun



TG651X



TN651X

TG651X is used for do tagging on thick garments and fruits, it is better for the tags which with holes.



Tagging for Socks



Tagging for Pineapples

TM3001 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	0.35Kgs (千克)
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (thickness)	Below 70mm (70毫米以内)
适用钢针(Fitness Needles)	TN651X/801X
钢针类型 (Needle Style)	Extra Long Fine Needle
适用胶针 (Fitness Tag Pin)	Fine Tag Pin

Attention:

TM651X is hand use pneumatic tagging gun, it is stable and durable. The pneumatic system will replace the hand tagging guns, Standard and Fine models are available, The needle length can be customized basic on different requests.

备注:

TM651X 为手持式气动吊牌枪, 结构稳定耐用, 气动系统很好的代替人工打标枪, 有标准针和细针型可选, 针长可以根据实际需要定制.



Scan and watch the working video

TM3001 袜子固定器
TM3001 Pneumatic Socks Fixing Machine



TM3001

TM 3001 is used for fixing on socks. it be better for the socks which need to hang the socks hooks.



Socks with Hooks



Socks and Hooks

TM3001 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	2.5Kgs (千克)
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Thickness)	Below 30mm (30毫米以内)
适用钢针(Fitness Needles)	TN5209
钢针类型 (Needle Style)	Fine Tagging Needle
适用胶针 (Fitness Tag Pin)	Nylon Fine Tag Pin

Attention:

There are some socks need hang the hooks, TM3001 can add the socks hooks on socks during the fixing and tagging job. the socks hooks automatic feeding machine had finished the design work, it will be produced soon.

备注:

很多袜子需要添加袜勾, TM3001机器刚好解决此问题, 它可以在袜子固定或者打标过程中人工添加袜勾.自动送袜勾的打标/固定机器已经完成设计, 近期将会面向市场生产.



Scan and watch the working video

四针三线活结钉线机 Cotton Thread Tagging Machine



4 Knitting 3 Threads

Cotton thread tagging machine used for do fixing on underwear, gloves, clothing, dolls and textile enterprises. It can greatly reduce the labor intensity of the operator and increase the binding speed.



Dolls

Jeans tagging

Gloves

Underwear

Socks

Cotton thread tagging machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	115Kgs (千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	5~20mm (70毫米以内)
适用钢针 (Fitness Needles)	TQx7
钢针类型 (Needle Style)	Fine/Thin
适用胶针 (Fitness Tag Pin)	Cotton Thread

Attention:

applicable to the listing of products in the hosiery, underwear, gloves, clothing, dolls and textile enterprises. It's stable and durable. Sewing machine principle, easy installation and operation.

备注:

此机器适用于袜业、内衣、内裤业、手套业、服装业、玩偶业、轻纺企业的产品挂牌作用，它稳定耐用，采用缝纫机原理，安装操作便捷。



Scan and watch the working video

TM4001/TM4002 袜子/手套/毛巾自动送卡钉标机 TM4001/TM4002 Tags Automatic Feeding Machine For Gloves/Towels



TM4001

TM4001 used for tagging on Gloves, the Tags will feed, bend and do tagging automatically.



Gloves

Gloves tagging



TM4002

TM4002 used for tagging on Microfiber Towels and Door Mats. the tags will feed, bend and do tagging automatically.



Microfiber towels

Wash cloth

Towels

Dish cloth

TM4001 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	50Kgs (千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	Below 40mm (40毫米以内)
适用钢针 (Fitness Needles)	TN5209
钢针类型 (Needle Style)	Fine/Thin (5.2细针)
适用胶针 (Fitness Tag Pin)	Nylon Fine Tag Pin (尼龙细胶针)

Attention:

TM4001 machine use for tagging on Gloves. Different sizes of Tags can be worked on this machine. We do customize for this machine to fit your tags and gloves.

备注:

此机器用于手套自动钉标，可以匹配使用不同尺寸的纸卡，我们也可以根据客户的手套和纸卡定制适合的机器。

TM4002 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	50Kgs (千克)
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Thickness)	Below 30mm (30毫米以内)
适用钢针 (Fitness Needles)	TN5209
钢针类型 (Needle Style)	Fine Tagging Needle
适用胶针 (Fitness Tag Pin)	Nylon Fine Tag Pin

Attention:

TM4002 is used for tagging on Microfiber towels and Washing Clothes. The distance of 2 needles can be adjusted. Different sizes of Tags can be worked on this machine. We do customize for this machine to fit your tags and towels.

备注:

此机器用于超细纤维毛巾和洗碗布钉标，机器双针间距可调，可以匹配使用不同尺寸的纸卡，我们也可以根据客户的毛巾和纸卡定制适合的机器。



Scan and watch the working video

TM7001/2/3/4自动送卡打标机 (工字胶针)
 TM7001/2/3/4 Tag Automatic Feeding Tagging Machine
 (H Shape Pins)



TM7003

TM 7001 is used to do tagging for t shirts (single tag) and toys, the machine can feed the tags automatically, the speed can be fast as 1 second 1 tagging, the tag width range is 10mm ~80mm.



T shirts



Toys



Toys

TM7001 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	25Kgs (千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	5~30mm (30毫米以内)
适用钢针 (Fitness Needles)	TN3709
钢针类型 (Needle Style)	Fine/Thin (3.7细针)
适用胶针 (Fitness Tag Pin)	10~100mm Tag Pin (尼龙细胶针)

Attention:

TM7001 machine with Tags Automatic Feeding System, Pneumatic Tagging System and Electrical Control System, it is used to do tagging for all the clothes and toys (single tag).

备注:

TM7001机器由纸卡自动传送系统, 气动打标系统, 电动控制系统三部分组成, 适合所有的服装玩具打标 (单一吊牌).



Scan and watch the working video

TM8001自动送卡打标机 (套环胶针)
 TM8001 Tags Automatic Feeding Tagging Machine
 (Loop Pins)



TM8001

TM 8001 is used to Hang Tags to clothes (loop pins), Kitchenware, Garden tools, Slippers and so on.



Clothes



Kitchenware




Garden tools



Toilet cleaner



Toilet scrub brush



Slippers.

TM8001 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	25Kgs (千克)
工作电压 (Voltage)	100~380V/50HZ
实用气压 (Air Pressure)	0.4~0.8 Mpa
适用厚度 (Tagging Thickness)	Below 35mm (25毫米以内)
钢针类型 (Needle Style)	47mm Looping Needle
适用胶针 (Fitness Tag Pin)	Loop pin 3" 5" 7" inches

Attention:

TM8001 machine with Tags Automatic Feeding System, Pneumatic Tagging System and Electrical Control System, It is with 1 Tags feeding system which fit for 1 tag. more feeding system can be added to match with more tags. the max quantity is 2 tags(TM8002).

备注: TM7003机器由纸卡自动传送系统, 气动打标系统, 电动控制系统三部分组成, 能够完成2张吊牌的传送并且挂标, 最多可以生产传送2张吊牌的机器(TM7002).



Scan and watch the working video

UT Tagging Gun & GRS Tag Pin UT 系列高品质吊牌枪和环保再生胶针



UT Fine



UT Standard



GRS

We produce the high quality hand use tagging gun and global recycle standard tag pins for you.
It includes fine and standard series. stable and durable, with the brand of “United Tagging” series for the market.

UT Tagging Gun:

Fine series: UT01311X/UT01371X/UT01411X/UT01491X/UT01601X
Standard series: UT02371S/UT02461S/UT02511S

GRS Tag Pin (Paddle)

8/10/15/20/25/30/35/40/50/55/65/70/75/100/110/120/125/150/175/230mm
Material: Recycled PP
Color: White/Clear/Black

Attention:

All the series work with All steel needles, it is sharp enough and with good knives which cut the tag pin easily. The needle do not make holes on garments. Work smoothly and durable on use.
The GRS certification can be supplied for the GRS pins.

备注:

UT全系列吊牌枪自带全钢钢针，非常锋利并且带有快速切断刀口，不卡胶针不卡枪，不伤纺织品，不会破洞，工人使用手感非常好，非常丝滑，并且结实耐用。
GRS胶针可以提供GRS证书。



Scan and watch the working video

TM9000梯形钉标机和胶卷 TM9000 Plastic Staple Machine and Roll



TM9000/TP9000

TM9000 model plastic staple machine with Taiwan made motor inside, stable and durable. It work with TP9000 model plastic staple rolls(25,000pins/roll).it used for do tagging for trousers/toys/gifts and so on.
The plastic pin replace the steel staples, no iron rust and easy to take the labels off from the products. The 15/13mm width pins good for the fixing for bags also.



TMR55 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	22Kgs
工作电压 (Voltage)	220V/50HZ
实用气压 (Air Pressure)	No need air pressure
适用厚度 (Fixing Thickness)	10mm(10毫米以内)
适用钢针 (Fitness Needles)	TN9000
钢针类型(Needle Style)	Fine/Std(4.2粗细针)
适用胶针(Fitness Tag Pin)	TP9000 Roll Pin

Attention:

It is 100% electric machine, no need air pressure.it is used in lots of fields,widely used in packing now.

备注:

纯电动机器，无需气压，稳定好用，之前应用在牛仔洗水行业，现在广泛用于裤子腰卡固定和包装封口领域，替代铁钉，提高效率。



Scan and watch the working video


TG230/TG650床垫强力气动枪 TG230/TG650 Mattress Heavy Duty Fixing Gun



TG230




TG650



TPHD

TG230/TG650 is used to fixing for mattress (3D Mesh/Foam) and so on. The gun can work with TPHD heavy duty pins to fix the floors of mattress. The pins replace the glues which make formaldehyde and hurt the healthy of people.



3D mesh mattress

TG230/TG650 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	1Kgs (千克)
实用气压 (Air Pressure)	0.4 ~ 0.8 Mpa
适用厚度 (Tagging Thickness)	15 ~ 230mm (30毫米以内)
适用钢针 (Fitness Needles)	TN230/TN65
钢针类型(Needle Style)	Heavy Duty 强力
适用胶针(Fitness Tag Pin)	15~200mm Tag Pin (强力胶针)

Attention:

It is pneumatic fixing system, but it needs to insert into the mattress by human power.

备注:

此工具是气动工具，但仍需要人力手持强力枪插入床垫或者其他产品来使用。



Scan and watch the working video

TMR55 卷式钉标机 TMR55 Tag Pin Roll Tagging Machine



TMR55



TPR

TMR55 is used to do tagging for socks,towels,gloves,clothes and so on. It works with tag pin roll which with 10,000 pins per roll replaced the former model Which 100 pins per clip, so it reduce the frequency to change the tag pins, and the roll pin is easy to take away from the products which you had tagged.



Socks



Towels



Gloves

TMR55 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	14.5Kgs (千克)
工作电压 (Voltage)	100 ~ 380V/50HZ
实用气压 (Air Pressure)	0.4 ~ 0.8 Mpa
适用厚度 (Tagging Thickness)	10 ~ 45mm (30毫米以内)
适用钢针 (Fitness Needles)	TN55
钢针类型 (Needle Style)	Fine/Thin (5.5细针)
适用胶针 (Fitness Tag Pin)	10 ~ 45mm Tag Roll Pin

Attention:

TMR55 machine works with tag pin roll, it is save labor and decrease the frequency which made by change the tag pins clips,and the pin is soft, it is easy to take the labels from the products, no need scissor to cut the pins.

备注:

此机器配合卷料胶针使用，减轻劳动强度，去技能化，并且减少工人因为换胶针导致的出错频率。卷料胶针很柔软，钉好之后只需要用力一拉，就会断开，因此卡片就会脱离纺织品，无需寻找剪刀剪断胶针。



Scan and watch the working video

RM01 打卷机/纸带 RM01 Rolling Machine/ Paper Roll



RM01



Paper Roll

RM01 machine is used for socks and towels which need girdle with papers. It is electrical, the paper roll with glue on backside, so it can be hot melted at any place on the paper rolls. Meanwhile that any sizes of rolls can be made by this system



Towels



Silk socks

RM01 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	23Kgs (干克)
工作电压 (Voltage)	100 ~ 380V/50HZ
实用气压 (Air Pressure)	No need pressure
适用厚度 (Tagging Thickness)	10 pair socks 以实际厚度为准
卷纸尺寸 (Size of paper)	2/3/4cm
纸卷长度 (Length of Paper)	120m/Roll 120米/卷
可否定制 (Customzied)	Yes/可以

Attention:

The machine can work as 1.3 seconds to girdle the papers on the products. Save labor and increase the packing speed.

备注:

此机器最快工作速度为 1.3 秒每次, 省时省力, 极大的节省了腰封的工作时间, 快速出货, 工人去技能化明显。



Scan and watch the working video

TM400H 自动送钩送卡钉标机 TM400H Hooks and Labels Automatic Feeding and Tagging System



TM400H



TMU700H

TM 400H Machine work with hooks feeder, we can customized different model of hooks feeder. And it can work with single labels and double labels feeder. It is also can work with tag pin roll tagging system.



Hooks with products



Fishes

TMR55 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	80Kgs (干克)
工作电压 (Voltage)	100 ~ 380V/50HZ
实用气压 (Air Pressure)	0.4 ~ 0.8 Mpa
适用厚度 (Tagging Thickness)	10 ~ 125mm (125毫米以内)
适用钢针 (Fitness Needles)	TN/TNR Seris
钢针类型 (Needle Style)	Fine/Thin 细针
适用胶针 (Fitness Tag Pin)	10 ~ 125mm Tag Pin

Attention:

The machine can work as 2.5 seconds to attach the hooks and labels to the products. Increase the tagging speed for you, normal workers and skilled workers both can run it very well.

备注:

此机器最快工作 2.5 秒 / 次, 钩子和吊牌可以同时挂在产品上, 新老工人都可以使用, 去技能化, 加快包装出货效率。



Scan and watch the working video

ATR01 全自动钉标流水线 ATR01 Automatic Tagging Robot



ATR01

The ATR01 work with labels feeding/bending system, Hooks feeding system, Tag pin roll tagging system and Socks feeding/Taken system. The user just put the socks on the robot, it will finish all the jobs for you, different sizes labels and several socks tagging available. It can work for socks, towels and gloves also.



Socks

RM01 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	600Kgs
工作电压 (Voltage)	100 ~ 380v/30A
实用气压 (Air Pressure)	0.8~1Mpa
适用厚度 (Tagging Thickness)	5-40mm 40毫米以内
适用钢针(Fitness Needles)	TN55
钢针类型(Needle Style)	Fine/Thin (5.5细针)
适用胶针(Fitness Tag Pin)	10- 45MM Tag Pin Roll 卷式胶针

Attention:

The Automatic tagging robot work as 4 seconds per tagging job, the Error Rate within 3%, it is used for socks,towels,gloves and so on. The users just feed the products, it finish the jobs automatically.

备注:

全自动钉标流水线可以在 4 秒内完成取卡折卡送钩钉标下料等动作, 出错率控制在 3%以下, 配合卷式钉标机头, 无需经常换料, 机器带动人工, 适合配合整体的流水线, 适合大型工厂的全自动改造, 实现包装程序去技能化, 极大的提高了包装出货效率, 快速出货, 领先一步。




Scan and watch the working video

AMR10 全自动床垫打点流水线 AMR10 Automatic Mattress Fixing Robot



AMR10

The AMR10 work with 10 heavy duty tagging systems, each one with 200mm length super long needle, it can pass through 200mm thickness mattress, normally, the 3D and foam mattress use glue to connect each floors, it is with formaldehyde which is bad for health. The heavy duty tag pin which can replace the glue and connect each floors very well. The system work with 3 Electrical cutters which can cut the different sizes of mattress as you requested, so you can produce different sizes of the mattress for the market.



3D Mesh Spacer Mattress



Mattress

TMR55 Machine Specification

名称 (Description)	技术参数 (Technical Parameter)
净重 (Net Weight)	320Kgs
工作电压 (Voltage)	100 ~ 380V/50HZ
实用气压 (Air Pressure)	0.9Mpa +
适用厚度 (Fixing Thickness)	15-230mm 230毫米以内
适用钢针(Fitness Needles)	TN200
钢针类型(Needle Style)	Heavy Duty (20CM 强力针)
适用胶针(Fitness Tag Pin)	15-200mm HDPin 床垫胶针

Attention:

The System which specially used in the mattress factory, it can produce 80+ mattress per day, normally, the 2 workers only produce 3~5 mattress per day, with the help of the machine, the speed increased a lot. No need glue and baking chamber to save the fee.

备注:

此全自动床垫打点流水线自带 10 头打点技术, 一次性打点 10 处, 一张床垫 8 分钟可以完成, 另外自带横切和纵切的电剪, 可以调整床垫的尺寸, 非常方便, 两位工人一天可以完成 80~100 张床垫, 对比之前的手工一天只能完成 3-5 张床垫, 极大的提高了效率, 另外去技能化, 工人快速上手, 快速出货。无需胶水和烘箱, 生产出来的床垫可水洗, 无甲醛, 节省了胶水费, 电费和烘箱的费用。



Scan and watch the working video

TP 尼龙细胶针
TP Nylon Tag Pins (3.4mm ~45mm)

01 Micro Fine Tag Pin: 3.4/4.4/5.4mm
For shirts/underwear/bra
微细胶针




TP100-XXNI(3.4-4.4-5.4mm)

02 Nylon Fine Tag Pin: 5/7mm
For jeans washing
尼龙洗水胶针




TP100XNI(5-7mm)

03 H shape fine tag pins
(Nylon)
工字尼龙细胶针




TP100XNI(40-45mm) TP100XNI(8-15mm)



TP100XNI(18-25mm) TP100XNI(30-45mm)

04 D(small) shape Heavy duty
tag pin (Nylon)强力胶针



TP100SNd(15-65mm)

05 H shape fine tag pins (PP)
工字PP细胶针



TP100XPI(8-35mm)

TP PP粗细胶针 / 手穿针 / 问号勾
TP PP Standard/Fine Tag Pins (8mm ~125mm)/
Loop Pins/ Hook Pins

01 Hook Pins (PP)
问号勾



HP50SP(25-50mm)



HP50SPR(25-50mm)

02 D(Big) shape fine tag
pins (PP)
大叶片PP细胶针




TP100XPD(65-75mm)




TP100XPD(8-50mm)


03 D(Small) shape standard
tag pins (PP)
小叶片PP标准胶针



TP50SPd(65-75mm)




TP50SPd(10-50mm)




TP50SPd(100-125mm)

04 D(Big) shape standard
tag pins (PP)
大叶片PP标准胶针




TP50SPD(10-18mm)



TP50SPD(50-75mm)

05 Loop lock tag pin 3/5/7/9/11
inches For hanging tags(PP)
手穿针



LLP3-5-7-9-11Inches




快钉公司厂房
Tagging Factory



快钉公司加工车间
CNC System




校企合作单位
University-Enterprise Cooperation



快钉美国公司
United Tagging LLC



科技型中小企业
Tech SMEs



位于江浙沪中心位置
Locate in Hangzhou City

